

MS329345

COE-SOFT POWDER
MATERIAL SAFETY DATA SHEET

Page 1 of 2

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION**MANUFACTURER**

GC AMERICA INC.
3737 West 127th St.
Alsip, Illinois, 60803
Telephone: 708-597-0900
Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T.
Transportation Emergency Telephone No. 800-424-9300

COMMON NAME: COE-SOFT POWDER**CHEMICAL NAME:** N.A.**PRODUCT USE:** Denture relining - powder component

The following information is provided with regard to the toxicity and hazards of the pure components present in this portion of the unmixed powder/liquid system.

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Zinc undecylenate	557-08-4	N.E.	LD50=2.5g/kg (oral rat) LC50=N.E.	1-5

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT:	N.A.	SPECIFIC GRAVITY (H₂O = 1):	N.A.
VAPOR PRESSURE:	N.A.	MELTING POINT:	N.E.
VAPOR DENSITY:	N.A.	EVAPORATION RATE:	N.E.
SOLUBILITY IN WATER:	N.E.	ODOR THRESHOLD:	N.A.
COEFFICIENT OF OIL/WATER DISTRIBUTION:	N.E.	APPEARANCE AND ODOR:	Pink odorless powder

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT: N.A. **FLAMMABLE LIMITS:** N.E.
EXTINGUISHING MEDIA: Water fog, foam, carbon dioxide, dry chemical
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus with full face piece and protective clothing.
UNUSUAL FIRE AND EXPLOSION HAZARDS: Dust explosion hazard
HAZARDOUS COMBUSTION PRODUCTS: Carbon dioxide, carbon monoxide, methyl methacrylate

SECTION 5 - REACTIVITY DATA

STABILITY: Stable ☒ Unstable ☐
POLYMERIZATION: Will Not Occur ☒ Will Occur ☐

CONDITIONS TO AVOID: High heat; strong acids or alkalis
INCOMPATIBILITY (Materials to Avoid): strong acids or alkalis
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: N.E.

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER		X						

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION - continued

ROUTES OF ENTRY: Inhalation ☒ Skin ☒ Ingestion ☒

HEALTH HAZARD (Acute and Chronic): Ingestion may cause nausea and vomiting. May cause eye irritation.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: N.E.

CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N.E.

EMERGENCY FIRST AID PROCEDURES:

INHALATION: Remove victim to fresh air.

INGESTION: Give one or two glasses of water to drink. If gastrointestinal symptoms develop, seek medical attention.

SKIN: Wash with soap and water.

EYES: Flush with water for 15 minutes. If redness, itching, or a burning sensation develops, seek medical attention.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

IN CASE OF RELEASE OR SPILL: Sweep up and recover or mix material with moist absorbent and shovel into waste container. Wash spill area with hot water and detergent.

WASTE DISPOSAL METHOD: In accordance with local, state, federal regulations.

STORAGE, HANDLING, AND SPECIAL PRECAUTIONS: Store in a cool dry place; keep away from heat or open flame.

SECTION 8 - CONTROL MEASURES

RESPIRATORY PROTECTION: Minimize exposure in accordance with good hygiene practice. Use MSHA-NIOSH approved respirator for dusts, mists and fumes.

VENTILATION: Local Exhaust: N.E. Mechanical: N.E. Special: N.E. Other: N.E.

PROTECTIVE GLOVES: Disposable vinyl gloves

EYE PROTECTION: Safety glasses

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Eyewash station

WORK/HYGIENIC PRACTICE: Follow safe hygiene practice.

SECTION 9- PREPARATION INFORMATION

This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR

DATE: 26 July 2012

REVIEWED: 20 February 2012

.....

N.A. = NOT APPLICABLE

N.E. = NOT ESTABLISHED

The information herein is given in good faith. No warranty expressed or implied is made.

.....

MS329346

COE-SOFT LIQUID
MATERIAL SAFETY DATA SHEET

Page 1 of 2

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION**MANUFACTURER**

GC AMERICA INC.

3737 West 127th St.

Alsip, Illinois, 60658

Telephone: 708-597-0900

Hours Mon.-Fri: 8:00 a.m.-5:00 p.m. C.S.T.

Transportation Emergency No. 800-424-9300

COMMON NAME: COE-SOFT LIQUID**CHEMICAL NAME:** N.A.**PRODUCT USE:** Denture reliner - liquid component.

The following information is provided with regard to the toxicity and hazards of the pure components present in this portion of the unmixed powder/liquid system.

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Benzyl salicylate	118-58-1	N.E.	N.E.	35-40
Ethyl alcohol	64-17-5	TWA=1000ppm (ACGIH) STEL=1000ppm (ACGIH)	N.E.	10-15

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES**BOILING POINT:** 173° - 180°F**VAPOR PRESSURE:** N.E.**VAPOR DENSITY:** N.E.**SOLUBILITY IN WATER:** N.E.**COEFFICIENT OF OIL/WATER DISTRIBUTION:** N.E.**SPECIFIC GRAVITY:** N.E.**MELTING POINT:** N.E.**EVAPORATION RATE:** N.E.**ODOR THRESHOLD:** N.E.**APPEARANCE AND ODOR:** Clear liquid**SECTION 4 - FIRE AND EXPLOSION DATA****FLASH POINT:** 16°C/61.5°F (CC)**FLAMMABLE LIMITS:** N.E.**EXTINGUISHING MEDIA:** Dry chemical foam, carbon dioxide, alcohol-type foam, water spray.**SPECIAL FIRE FIGHTING PROCEDURES:** Wear protective clothing including self contained breathing apparatus.**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Contains Denatured Alcohol; vapors are heavier than air and may travel to flame source.**HAZARDOUS COMBUSTION PRODUCTS:** Carbon Dioxide, Carbon Monoxide**SECTION 5 - REACTIVITY DATA****STABILITY:** Stable ☒Unstable ☐**POLYMERIZATION:** Will Not Occur ☒Will Occur ☐**CONDITIONS TO AVOID:** High temperatures, fire, severe oxidizing conditions.**INCOMPATIBILITY (MATERIALS TO AVOID):** Nitric acid, sulfuric acid, strong oxidizing agents.**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** Carbon monoxide, carbon dioxide.

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER		X						

ROUTES OF ENTRY: Inhalation ☒ Skin ☒ Ingestion ☒

HEALTH HAZARD (Acute and Chronic): Ingestion may cause nausea, vomiting diarrhea, drowsiness, stupor cramps, loss of consciousness. Possible liver damage. Difficulty with speech. Central nervous system depression. May cause headache, if inhaled. Dizziness, drowsiness can occur. Skin and eye irritation can occur.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Liver damage has been reported from high exposure that approaches the lethal level.

CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N.E.

EMERGENCY FIRST AID PROCEDURES:

INHALATION: Remove to fresh air. If breathing is difficult give oxygen. Seek medical attention.

EYES: Flush eyes with water for at least 15 minutes. Seek medical attention.

SKIN: Wash with soap and water. Remove and wash contaminated clothing promptly. Seek medical attention if irritation develops.

INGESTION: If swallowed, induce vomiting. Seek medical attention.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

IN CASE OF RELEASE OR SPILL: Collect large spills for disposal. Flush small spills with water.

WASTE DISPOSAL METHOD: In accordance with state, local, federal regulations.

STORAGE, HANDLING, AND SPECIAL PRECAUTIONS: Store in a cool dry place.

SECTION 8 - CONTROL MEASURES

RESPIRATORY PROTECTION: Use an MSHA-NIOSH approved respirator.

VENTILATION: Local Exhaust: ☒ Mechanical: ☒ Special: ☐ Other: ☐

PROTECTIVE GLOVES: Disposable vinyl gloves are recommended.

EYE PROTECTION: Safety glasses

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Eyewash station

WORK/HYGIENIC PRACTICE: Avoid contact with clothing, may stain

SECTION 9 - PREPARATION INFORMATION

This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910.1200 and W.H.M.I.S. CPR

DATE: 19 July 2007

REVIEWED: 20 February 2012

N.A. = NOT APPLICABLE

N.E. = NOT ESTABLISHED

The information herein is given in good faith but no warranty expressed or implied is made.

FIRE – 3

TOXICITY – 1

NFPA
REACTIVITY – 0

SPECIAL –